



Klever™ Workstation 90° & 120°

Product Specification

Create an office space fit for the future of working with our height adjustable, 90° or 120° electric workstation. The sit-to-stand workstation is ideal for configuring open-plan team environments that require more worktop space or for individual offices and managerial spaces. A stylish, functional and modern design combined with European engineering ensures quiet, smooth operation.

Upgrade to Klever Corporate, Personal or Lite and independently manage desk positioning via the hands-free MOTION@work app, or using the desk switch. Stylish in design and intuitive in functionality, the advanced Germandesigned electrics make your workplace a smarter, more efficient and more agile working environment.



Standard Features

- Tops available in sizes 1800 x 1800w x 700d | 1600 x 1600w x 700d | 1500 x 1500w x 700d.
- 3 Column single frame.
- Adjustable frame for 90° and 120° workstation.
- 155kg weight lift capacity including top.
- Triple motor adjusting desk at 35mm per sec.
- Extra quiet electric desk in action Under 40 decibels.
- Height Range 620mm to 1270mm (Includes worktop).
- · Low standby power consumption Under 0.1 watt.
- Standard hand controller HSU Desk Switch 4 memory with LED display. Soft touch hard wearing membrane, longer service life.
- · Anti-Collision Protection System.
- 2 Frame colourways in powder-coat finish.
- NZ Made Snowdrift White Naturale Melteca, Classic Oak Naturale Melteca & Silver Strata Naturale Melteca by Laminex[®].
- Proprietary board for Klever Oak & Black.
- Commercial-grade 25mm tops finished in melamine with 2mm PVC edge.
- Power type: 90 230V AC.
- Compatible with Klever screens, acoustics & monitor arm.
- 20 Year Warranty.

Upgrades:

- · Bluetooth Compatible.
- · Upgrade to Klever Lite, Personnel or Corporate Plans.
- Compatibility with Motion@Work App for iOS and Android.
- · Occupancy Sensor available on Personal & Corporate plans.
- Optional cable tidy tray available.
- Flush mount controller.

Product & Material Certifications

- ISO 14001 EMS Certified Environmental Management System.
- Certified in accordance with DIN EN ISO 9001:2008.
- BIFMA Certified for safety & performance standards.
- · Global Green Tag Certified.
- AFRDI Certified for strength & durability.
- C Tick Tested to AU/NZ electrical standards.
- Negligible Formaldehyde in board Less than an apple.
- Laminex® creates naturally beautiful, durable and unique surface finishes for commercial furniture.







20 Year Warranty





















Klever[™] Workstation 90° & 120°





Standard Hand Control

Features

- Fully-customizable Hand Control
- Modern Look & Feel
- Soft Touch
- Up to 4 Memory Positions
- Responsive Up / Down Function
- · Under-desk mounting

Technical Data

Supply voltage	5 V DC ± 10%
Current Consumption (average)	75 mA
Cable length	1800 mm
Dimensions (I x w x h)	59.65 mm x 137.25 mm x 24.73 mm (2.348 " x 5.404 " x 0.974 ")
Standards and regulations	EMC directive 2014/30/EU
	RoHS directive 2011/65/EU



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ electrical standards.





- Up to 2 motor groups
- 4-digit display for inch or cm
- TOUCH & CLICK function & Key lock

Technical Data

Supply voltage	5 V DC ± 200 mV
Current Consumption (average)	0 mA
Cable length	2,000 mm / 78.740" (± 40 mm / 1.575")
Dimensions (I x w x h)	42.0 × 95.4 × 17.3 mm / 1.654" × 3.756" × 0.681"
Dimensions (milled cut-out)	39.2 × 93.0 mm/ 1.433" × 3.661" (± 0.1 mm / 0.01")
Weight (including cable)	86 g
Degree of protection (IEC 60529)	IP 20
Standards and regulations	EMC directive 2014/30/EU
	RoHS directive 2011/65/FU



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ electrical standards.



Exclusive Reseller of Klever Desk™

