




## Klever Desk™ Single Electric

### Product Specification

We've kept the set-up simple. In fact, a Klever single desk can be assembled in just 10 minutes - possibly one of the fastest assembly times for a standing desk system in New Zealand. With patented design fold-out legs and full instructions provided, so you can get your office fit-out up and running with minimal disruption.

**Upgrade** to Klever Corporate, Personal or Lite and independently manage desk positioning via the hands-free MOTION@work app, or using the desk switch. Stylish in design and intuitive in functionality, the advanced German-designed electrics make your workplace a smarter, more efficient and more agile working environment.



### Standard Features

- Scallop tops available in sizes: 1800w x 800d | 1500w x 800d | 1200w x 700d.
- Suitable for tops from 1200mm to 2000mm. Custom size tops available on request.
- Patented Fast Leg assembly.
- 3 Column single frame.
- 155kg weight lift capacity including top.
- Dual motor adjusting desk at 35mm per sec.
- Extra quiet electric desk in action – Under 40 decibels.
- Optional cable tray, cover and cutouts for 4xGPO and 4xData
- 620mm to 1270mm (Height adjustment includes worktop).
- Low standby power consumption – Under 0.1 watt.
- Standard hand controller: HSU Desk Switch 4 memory with LED display.
- Soft touch hard wearing membrane, longer service life.
- NZ Made Snowdrift White Naturale Melteca, Classic Oak Naturale Melteca & Silver Strata Naturale Melteca by Laminex®.
- Recyclable packaging on all worktops.
- Proprietary board for Klever Oak & Black.
- Commercial-grade 25mm tops, with scallop.
- Tops finished in melamine with 2mm PVC edge.
- Power type: 90 – 230V AC.
- 2 Frame colourways in powder-coat finish.
- Compatible with Klever screens, acoustics & monitor arm.
- 20 Year Warranty.

### Upgrades:

- Bluetooth Compatible.
- Upgrade to Klever Lite, Personnel or Corporate Plans.
- Compatibility with Motion@Work App for iOS and Android.
- Occupancy Sensor available on Personal & Corporate plans.
- Optional cable tidy tray available.
- Integrated cable management with cut-outs for GPO & Data.
- Flush mount controller.

### Product & Material Certifications

- ISO 14001 EMS Certified Environmental Management System.
- Certified in accordance with DIN EN ISO 9001:2008.
- BIFMA Certified for safety & performance standards.
- Global Green Tag Certified.
- AFRDI Certified for strength & durability.
- C Tick Tested to AU/NZ electrical standards.
- Negligible Formaldehyde in board – Less than an apple.
- Laminex® creates naturally beautiful, durable and unique surface finishes for commercial furniture.



Designed in Germany



Powerful Anti-Collision Protection System



20 Year Warranty



One of the fastest assembly times for a single standing desk in NZ

## Klever Desk™ Single Electric



### **Patented Quick-Leg assembly. Build in less than 10 minutes.**

While our functionality is impressive, we've kept the set-up simple. In fact, a Klever single desk can be assembled in just 10 minutes - one of the fastest assembly times for a standing desk system in New Zealand. With patented design fold-out legs and full instructions provided, so you can get your office fit-out up and running with minimal disruption.

# Klever Desk™ Hand Controls



## Standard Hand Control

### Features

- Fully-customizable Hand Control
- Modern Look & Feel
- Soft Touch
- Up to 4 Memory Positions
- Responsive Up / Down Function
- Under-desk mounting

## Technical Data

Supply voltage	5 V DC $\pm$ 10%
Current Consumption (average)	75 mA
Cable length	1800 mm
Dimensions (l x w x h )	59.65 mm x 137.25 mm x 24.73 mm (2.348 " x 5.404 " x 0.974 ")
Standards and regulations	EMC directive 2014/30/EU RoHS directive 2011/65/EU



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ  
electrical standards.



## Upgrade Flush Mount Hand Control

### Features

- Customizable Handset
- Individual button and function layout
- 2 memory positions
- Up to 2 motor groups
- 4-digit display for inch or cm
- TOUCH & CLICK function & Key lock

## Technical Data

Supply voltage	5 V DC $\pm$ 200 mV
Current Consumption (average)	0 mA
Cable length	2,000 mm / 78.740" ( $\pm$ 40 mm / 1.575")
Dimensions (l x w x h )	42.0 x 95.4 x 17.3 mm / 1.654" x 3.756" x 0.681"
Dimensions (milled cut-out)	39.2 x 93.0 mm/ 1.433" x 3.661" ( $\pm$ 0.1 mm / 0.01")
Weight (including cable)	86 g
Degree of protection (IEC 60529)	IP 20
Standards and regulations	EMC directive 2014/30/EU RoHS directive 2011/65/EU



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ electrical standards.



Exclusive Reseller of Klever Desk™