



Klever Desk™ Double Electric

Product Specification

Create an office space fit for the future of working with our height adjustable, double electric desks. The sit-to-stand double-desk system is ideal for configuring shared workspaces and open-plan team environments. A stylish, functional and modern design combined with European engineering ensures quiet, smooth operation.


Upgrade to Klever Corporate, Personal or Lite and independently manage desk positioning via the hands-free MOTION@work app, or using the desk switch. Stylish in design and intuitive in functionality, the advanced German-designed electrics make your workplace a smarter, more efficient and more agile working environment.

Klever Desk™ Double Electric

Double sided desk with 3 column frame.



Colour Swatches:



Edge colours:

Klever Black
Klever Oak
Classic Oak Naturale Laminex®
Silver Strata Naturale Laminex®
Snowdrift White Laminex®

Klever Link Upgrade:

Klever Lite
Klever Personal
Klever Corporate

Frame colours:

White
Black

Standard Features

- Scallop tops available in sizes: 1800w x 800d | 1500w x 800d | 1200w x 700d.
- Suitable for tops from 1200mm to 2000mm. Custom size tops available on request.
- Height Range: 620mm to 1270mm (Height adjustment includes worktop).
- 2 Frame colourways in powder-coat finish.
- 3 Column double frame.
- Dual motor adjusting desk at 35mm per sec.
- Extra quiet electric desk in action – Under 40 decibels.
- Low standby power consumption – Under 0.1 watt.
- 155kg weight lift capacity including top.
- Klever Neo technology electrics.
- Integrated cable management.
- Standard hand controller: HSU Desk Switch 4 memory with LED display.
- Soft touch hard wearing membrane, longer service life.
- Commercial-grade 25mm tops, with scallop.
- Tops finished in melamine with 2mm PVC edge.
- NZ Made Snowdrift White Naturale Melteca, Classic Oak Naturale Melteca & Silver Strata Naturale Melteca by Laminex®.
- Proprietary board for Klever Oak & Black.
- Recyclable packaging on all worktops.
- Power type: 90 – 230V AC.
- Compatible with Klever screens, acoustics & monitor arm.
- 20 Year Warranty.

Upgrades

- Bluetooth Compatible.
- Upgrade to Klever Lite, Personnel or Corporate Plans.
- Compatibility with Motion@Work App for iOS and Android.
- Occupancy Sensor available on Personal & Corporate plans.
- Integrated cable management with cut-outs for GPO & Data.
- Flush mount controller.

Product & Material Certifications

- ISO 14001 EMS Certified Environmental Management System.
- Certified in accordance with DIN EN ISO 9001:2008.
- BIFMA Certified for safety & performance standards.
- Global Green Tag Certified.
- AFRDI Certified components for strength & durability.
- C Tick Tested to AU/NZ electrical standards.
- Negligible Formaldehyde in board – Less than an apple.
- Laminex® creates naturally beautiful, durable and unique surface finishes for commercial furniture.



Designed in Germany



Powerful Anti-Collision Protection System



20 Year Warranty

Klever Desk™ Double Electric



Customise. Adapt. Personalise.

Create an office space fit for the future of working with our height adjustable, double electric desks. The sit-to-stand double-desk system is ideal for configuring shared workspaces and open-plan team environments. A stylish, functional and modern design combined with European engineering ensures quiet, smooth operation.

Klever Desk™ Hand Controls



Features

- Fully-customizable hand control
- Modern look & feel
- Soft touch
- Up to 4 memory positions
- Responsive up / down function
- Under-desk mounting

Technical Data

| | |
|----------------------------------|---|
| Supply voltage | 5 V DC \pm 10% |
| Current consumption (average) | 75 mA |
| Cable length | 1800 mm |
| Dimensions (l x w x h) | 59,65 mm x 137,25 mm x 24,73 mm (2,348 " x 5,404 " x 0,974 ") |
| Degree of protection (IEC 60529) | IP 20 |
| Standards and regulations | EMC directive 2014/30/EU RoHS directive 2011/65/EU |



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ
electrical standards.



Upgrade Flush Mount Hand Control

Features

- Customizable handset
- Individual button and function layout
- 2 memory positions
- Up to 2 motor groups
- 4-digit display
- TOUCH & CLICK function & key lock

Technical Data

| | |
|----------------------------------|--|
| Supply voltage | 5 V DC \pm 200 mV |
| Current consumption (average) | 0 mA |
| Cable length | 2,000 mm / 78.740" (\pm 40 mm / 1.575") |
| Dimensions (l x w x h) | 42.0 x 95.4 x 17.3 mm / 1.654" x 3.756" x 0.681" |
| Dimensions (milled cut-out) | 39.2 x 93.0 mm / 1.433" x 3.661" (\pm 0.1 mm / 0.01") |
| Weight (including cable) | 86 g |
| Degree of protection (IEC 60529) | IP 20 |
| Standards and regulations | EMC directive 2014/30/EU RoHS directive 2011/65/EU |



Designed in Germany



20 Year Warranty



C Tick Tested to AU/NZ electrical standards.



Exclusive Reseller of Klever Desk™